



sandream  
specialties

A VIVIFY COMPANY

Formulary

Symmira Blue GRV

Product Description: Liquid Eyeshadow

| Phase                | Trade Name         | INCI Name  | Supplier                    | Formula #     |
|----------------------|--------------------|--|-----------------------------|---------------|
|                      |                    |  |                             | <b>215-13</b> |
| A                    | DI Water           |  | LabChem                     | 80.00         |
|                      | Carbopol Ultrez 20 | Acrylates/C10-30 Alkyl Acrylate Crosspolymer   | Lubrizol                    | 0.53          |
| B                    | Simulgel INS 100   | Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Isohexadecane (and) Polysorbate 60 | Seppic                      | 2.63          |
| C                    | Symmira Blue GRV   | Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Silica (and) Ferric Ferrocyanide                 | <b>Sandream Specialties</b> | 15.00         |
| D                    | Euxyl PE 9010      | Phenoxyethanol (and) Ethylhexylglycerin  | Schülke Inc.                | 1.05          |
|                      | Triethanolamine    | Triethanolamine  | <b>Ineos</b>                | 0.79          |
| <b>TOTAL PERCENT</b> |                    |  |                             | 100.00        |

Procedure: Weigh all of phase A into glass beaker and heat to 45°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add Phase B to A by mixing at high speed to ensure all raws are fully incorporated. No heat is necessary. Next add Phase C, pearlescent pigment, to Phase A & B using propeller mixing. Lastly, add phase D and mix with a propeller. Fill into desired components.

**The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.**