



Formulary

July 2021 Newsletter- "Tickled Pink" Sachet CF Fuchsia

Product Description: Demi Matte Lipstick

Phase	Trade Name	INCI Name	Supplier	Formula #
				215-23
A	PureSyn 2	Hydrogenated Polydecene	Sandream Specialties	17.94
	Jarcol I-20CG	Octyldodecanol	JarChem	10.07
	Floraesters 15	Jojoba Esters	Florotech	9.83
	Jeechem CTG	Caprylic/Capric triglyceride	Jeen	7.55
	ClearSyn 150	Hydrogenated Polydecene	Sandream Specialties	4.80
	Octyldodecyl Olivatate	Octyldodecyl Oleate	Sandream Specialties	5.00
	Vitamin E Acetate	Vitamin E Acetate	Sandream Specialties	1.12
	Jeenate 5H	Polyethylene	Jeen	10.50
	Microcrystalline Wax	Microcrystalline Wax	MakingCosmetics	10.50
	NF White Beeswax	Beeswax	Koster Keunen	2.25
	Propyl Paraben	Propyl Paraben	Sandream Specialties	0.11
Methyl Paraben	Methyl Paraben	Sandream Specialties	0.34	
B	Sachet CF Fuschia (S8203)	Synthetic Fluorophlogopite, Titanium Dioxide, Iron Oxides, Tin Oxide	Sandream Specialties	20.00
TOTAL PERCENT				100.00

Procedure: Weigh all of Phase A into a glass beaker and heat to 90°C. Mix under propeller agitation until all materials are dissolved and the base is uniform. Slowly add Phase B to the beaker. Mix at moderate speed until all of the pearl is completely incorporated. Do not mix too rapidly to avoid air entrapment. Lower the temperature to 80 °C. Pour into desired lipstick molds, freeze and demold after 10 minutes.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.