

## October 2021 Newsletter Product Description: Encapsulated BB Crème

Phase	Trade Name	INCI Name	Supplier	Formula # <b>215-39</b>
Α	Dei Water	Deionized Water	Lab Chem	49.32
В	Carbopol Ultrez 20	Carbomer	Lubrizol	0.10
	Zemea Propanediol Glycerin	Propanediol Glycerin	Dupont Tate & Lyle Spectrum Chem. Mfg Corp	5.00 4.00
С	PureSyn 6	Hydrogenated Polydecene	Sandream Specialties	7.50
	Jarcol I-20	Octyldodecanol	Jarchem	5.00
	SS Phytosterol Blend (CA-PSP)	Octyldodecyl Oleate (and) Bis- Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate	Sandream Specialties	6.00
	Crodacol C70	Cetyl Alcohol	Croda	4.50
	Jeechem GMS-165	Glyceryl Stearate (and) PEG-100 Stearate	Jeen	4.00
	Argan Oil	Argania Spinosa Kernel Oil	Sandream Specialties	1.00
	Vitamin E Acetate	Tocopheryl Acetate	Sandream Specialties	1.00
D	Dei Water	Deionized Water	Lab Chem	5.00
	Disodium EDTA	Disodium EDTA	Sandream Specialties	0.03
	Hyaluronic Acid 1-1.5 Mil Dalton (HMW)	Sodium Hyaluronate	Sandream Specialties	0.10
	RKG	Raspberry Ketone Glucoside	Sandream Specialties	0.10
E	Green Tea Callus Extract	Camellia Sinensis Callus Culture Extract	Sandream Specialties	0.50
	SS Biomineral 5 (CA-BM5)	Water (and) Saccharomyces/Zinc Ferment (and) Saccharomyces/Copper Ferment (and) Saccharomyces/Magnesium Ferment (and) Saccharomyces/Iron Ferment (and) Saccharomyces/Silicon Ferment	Sandream Specialties	0.75
	Jeecide Phenoxy	Phenoxyethanol	Jeen	1.00
F	Dream Colors Beads AC- AZ150	Titanium Dioxide CI 77891 (and) Mica (and) Silica (and) Mannitol (and)Sucrose (and) Zea Mays Corn Starch (and) Hydroxypropylmethyl Cellulose	Sandream Specialties	5.00
G	Triethanomaline	Triethanomaline	Spectrum Chemical	0.10
TOTAL PERCENT				100.00

**PROCEDURE:** Note weight of main beaker. Begin heating phase A to 80-82°C under propeller. Premix phase B into a slurry and add to phase A, continue heating to 80-82°C. QS water if needed due to evaporation. In a separate beaker, mix and heat phase C to 80 - 82°C under propeller. Add phase D to phase C and continue mixing. Maintain temperature at 80 - 82°C. Once both phases are at 80-82°C, combine phase CD to phase AB under homogenizer at 3500 rpm for 5-10 mins until mixture is uniform. Remove from heat and return to propeller. Add phase E to beaker. Premix phase F to a slurry and add to beaker. Add phase G to beaker, mix until uniform. Add phase H (batch will thicken) and continue mixing until batch reaches room temperature.