



Formulary

December 2021 Newsletter

New Magni Pearl Collection

Product Description: Crème Eyeshadow

Phase	Trade Name	INCI Name	Supplier	Formula #	Formula #	Formula #	Formula #	Formula #	Formula #
				215-53A	215-53B	215-53C	215-53D	215-53E	215-53F
A	Floraester IPJ	Isopropyl Jojobate (and) Jojoba Alcohol (and) Jojoba	Floritech	17.99	17.99	17.99	17.99	17.99	17.99
	Puresyn 2	Hydrogenated Poly(C6-14 Olefin)	Sandream Specialties	6.71	6.71	6.71	6.71	6.71	6.71
	Floramac 10	Ethyl Macadamiate	Jarchem	14.40	14.40	14.40	14.40	14.40	14.40
	Permethyl 99	Isododecane	Presperse	5.00	5.00	5.00	5.00	5.00	5.00
	Jeenate 2H	Polyethylene	Jeen	4.89	4.89	4.89	4.89	4.89	4.89
	Jeenate 5H	Polyethylene	Jeen	4.00	4.00	4.00	4.00	4.00	4.00
	SP 220	Cetyl Esters	Strahl and Pitch	2.45	2.45	2.45	2.45	2.45	2.45
B	Sansil 5012	Cyclopentasiloxane, Dimethicone Copolymer	Sandream Specialties	12.86	12.86	12.86	12.86	12.86	12.86
	Vitamin E Oil	Tocopheryl Acetate	Sandream Specialties	0.20	0.20	0.20	0.20	0.20	0.20
	Mica LL3	Mica, Lauroyl Lysine	Sandream Specialties	5.00	5.00	5.00	5.00	5.00	5.00
	HDK H30	Hydrophobic Pyrogenic Silica	Wacker Chemical Corp	0.50	0.50	0.50	0.50	0.50	0.50
	SanSilica 610 AS	Silica, TES	Sandream Specialties	1.00	1.00	1.00	1.00	1.00	1.00
C	Magni Pearl Crimson (MP610)	Aluminum Powder, Silica, Iron Oxides, Synthetic Fluorophlogopite	Sandream Specialties	25.00	-	-	-	-	-
	Magni Pearl Rose (MP620)	Aluminum Powder, Silica, Iron Oxides, Synthetic Fluorophlogopite, Tin Oxide	Sandream Specialties	-	25.00	-	-	-	-
	Magni Pearl Brushed Bronze (MP630)	Silica, Synthetic Fluorophlogopite, Titanium Dioxide, Ferric Ferrocyanide	Sandream Specialties	-	-	25.00	-	-	-
	Magni Pearl Nude (MP640)	Aluminum Powder, Silica, Iron Oxides, Synthetic Fluorophlogopite, Titanium Dioxide, Tin Oxide	Sandream Specialties	-	-	-	25.00	-	-
	Magni Pearl Eggplant (MP650)	Aluminum Powder, Iron Oxides, Silica, Synthetic Fluorophlogopite, Tin Oxide, Ferric Ferrocyanide, Titanium Dioxide	Sandream Specialties	-	-	-	-	25.00	-
	Magni Pearl Brushed Silver (MP660)	Aluminum Powder, Iron Oxides, Silica, Synthetic Fluorophlogopite, Tin Oxide, Ferric Ferrocyanide, Titanium Dioxide	Sandream Specialties	-	-	-	-	-	25.00
	TOTAL PERCENT				100.00	100.00	100.00	100.00	100.00

Procedure: Weigh all of phase A into glass beaker and heat to 80°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until uniform. Add phase C to A and B and rapidly mix until uniform. Pour into desired pots or vials and cool to room temperature.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.