

Number #: 216-34B

Name: Silikmira Pastel Creme Eyeshadow

Category: Eye Makeup > Cream

Date: 01/17/2022



| No | Phase | Trade Name | INCI | % |
|------------------|--|----------------------|--|-------------|
| 1 | A | Floraester IPJ | Isopropyl Jojobate (and) Jojoba Alcohol (and) Jojoba | 17.99 |
| 2 | A | PureSyn 2 | Hydrogenated Poly(C6-14 Olefin) | 6.71 |
| 3 | A | Floramac 10 | Ethyl Macadamiate | 14.40 |
| 4 | A | Permethyl 99 | Isododecane | 5.00 |
| 5 | A | Jeenate 2H | Polyethylene | 4.89 |
| 6 | A | Jeenate 5H | Polyethylene | 4.00 |
| 7 | A | SP 220 | Cetyl Esters | 2.45 |
| 8 | B | Sansil 5012 | Mirasil C-DMX 12 | 12.86 |
| 9 | B | Vitamin E | Tocopheryl Acetate | 0.20 |
| 10 | B | Mica LL3 | Mica, Lauryl Lysine | 5.00 |
| 11 | B | HDK H30 | Hydrophobic Pyrogenic Silica | 0.50 |
| 12 | B | SanSilica 610 AS | Silica, TES | 1.00 |
| 13 | C | Silikmira Pastel PVR | Silica, Titanium Dioxide, Synthetic Fluorophlogopite, Ferric Ferrocyanide, Tin Oxide | 25.00 |
| Total | | | | 100% |
| Procedure | Weigh all of phase A into glass beaker and heat to 80°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until uniform. Add phase C to A and B and rapidly mix until uniform. Pour into desired pots or vials and cool to room temperature. | | | |

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.