

Number #: 216-50C Name: Sachet Fine Almond Crème Eyeshadow Category: Trends > Promotional Collections Date: 04/25/2022



| No        | Phase | Trade Name   | INCI  | %     |
|-----------|-------|--|---|-------|
| 1         | А     | Floraester IPJ   | Isopropyl Jojobate (and) Jojoba Alcohol (and) Jojoba    | 17.99 |
| 2         | А     | PureSyn 2  | Hydrogenated Poly(C6-14 Olefin)                         | 6.71  |
| 3         | А     | Floramac 10  | Ethyl Macadamiate                                       | 14.40 |
| 4         | А     | Permethyl 99   | Isododecane   | 5.00  |
| 5         | А     | Jeenate 2H   | Polyethylene  | 4.89  |
| 6         | А     | Jeenate 5H   | Polyethylene  | 4.00  |
| 7         | А     | SP 220   | Cetyl Esters  | 2.45  |
| 8         | В     | Sansil 5012  | Mirasil C-DMX 12  | 12.86 |
| 9         | В     | Vitamin E  | Tocopheryl Acetate                                      | 0.20  |
| 10        | В     | Mica LL3   | Mica, Lauryl Lysine                                     | 5.00  |
| 11        | В     | HDK H30  | Hydrophobic Pyrogenic Silica                            | 0.50  |
| 12        | В     | SanSilica 610 AS   | Silica, TES   | 1.00  |
| 13        | С     | Sachet Fine Almond   | Synthetic Fluorphlogopite, Titanium Dioxide, Iron Oxide | 25.00 |
| Total     |       |  |   | 100%  |
| Procedure |       | Weigh all of phase A into glass beaker and heat to 80°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until uniform. Add phase C to A and B and rapidly mix until uniform. Pour into desired pots or vials and cool to room temperature. |   |       |

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.