

Number #: 215-81

Name: UV Heat Protectant Spray

Category: Hair Care > Treatment

Date: 05/31/2022



No	Phase	Trade Name	INCI	%
1	A	<b>NOO Crystal</b>	Octyldodecyl Oleate, Tocopheryl Acetate	24.50
2	A	<b>Puresyn 2, drum</b>	Hydrogenated Polydecene	9.50
3	A	<b>BMDM (Avobenzone)</b>	Avobenzone	3.00
4	A	<b>Octocrylene</b>	Octocrylene	5.00
5	A	Jarcol I-20CG	Octyldodecanol	5.00
6	B	VegeLight 1214LC	Coconut Alkanes (and) Coco-Caprylate/Caprates	15.00
7	B	Fancol ID-CG	Isododecane	20.00
8	B	<b>Vitamin E</b>	Tocopheryl Acetate	1.00
9	B	Jeechem TN	C12-15 Alkyl Benzoate	16.00
10	C	Cabana Coconut	Fragrance	1.00
<b>Total</b>				<b>100%</b>
<b>Procedure</b>	Mix phase A, heat to 70-75 C until avobenzone is solubilized. Remove from heat and continue mixing. At 40-45 C, add phase B and C. Cool to RT and fill into desired components.			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.