



Number #: 216-83

Name: Loose Face Powder

Category: Face Makeup > Powder

Date: 09/21/2022

No	Phase	Trade Name	INCI	%
1	A	Talc	Dimethicone, Talc, Magnesium Myristate	36.45
2	A	Micropoly 250S	Polyethylene	4.00
3	A	Zinc Stearate	Zinc Stearate	6.01
4	A	BPA-500	Polymethyl Methacrylate	1.00
5	B	Sachet Silk Ivory	Synthetic Fluorophlogopite, TiO ₂ , Iron Oxides	48.00
6	C	NOO	Natural Octyldodecyl Olivat	1.20
7	C	Wickenol 171	Ethylhexyl hydroxystearate	1.00
8	C	Jeecide Phenoxy	Phenoxyethanol	1.17
9	C	Vitamin E	Tocopheryl Acetate	0.58
10	C	Methyl Paraben	Methyl Paraben	0.35
11	C	Propyl Paraben	Propyl Paraben	0.12
12	C	NF White Beeswax	Beeswax	0.12
Total				100%
Procedure	Premix Phase A in osterizer blender and mix thoroughly until well blended. Add phase B to A and gently mix for 1 minute. Preweigh phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform. Add phase C to A and B and blend for one minute. Scrape down sides and repeat blending process. Fill into desired loose powder jars with sifter.			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.