



Number #: 217-21

Name: Gentle Exfoliating Cleanser

Category: Skin Care

Date: 12/27/2022

No	Phase	Trade Name	INCI	%
1	A	Jeesorb S-20 NF	Polysorbate 60	20.00
2	A	Puresyn 4	Hydrogenated Polydecene	14.00
3	A	PureSyn 6	Hydrogenated Polydecene	10.00
4	A	NOO Crystal	Octyldodecyl Oleate, Tocopheryl Acetate	13.00
5	A	Soy Wax	Hydrogenated Soybean Oil	9.00
6	A	Jeechem CTG	Caprylic/Capric Triglyceride	8.00
8	A	Floraesters 15	Jojoba Esters	7.00
9	A	Jarcol I-20CG	Octyldodecanol	5.00
10	A	Ozokerite 170	Microcrystalline Wax, Paraffin	3.00
11	B	Aerosil R972	Fumed Silica	4.50
12	B	SanSilica 307	Silica	0.50
13	C	Black Vision Beads	Mannitol, Cellulose, HMPC, Iron Oxide Black	3.00
14	C	Pearly White Vision Beads	Mannitol, Cellulose, HMPC, TiO2, Synthetic Fluorphlogopite	3.00
Total				100%
Procedure	Weigh all of Phase A into glass beaker and heat to 80°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B, mix until uniform. Cool to 45 C, add phase C and slowly mix until beads are dispersed. Continue mixing until batch reaches room temperature. Fill into desired components.			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.