

Number #: 218-13

Name: Brow/Eye Pressed Powder

Category: Eye Makeup > Powder

Date: 03/09/2023



No	Phase	Trade Name	INCI	%
1	A	<b>Talc</b>	Dimethicone, Talc, Magnesium Myristate	21.60
2	A	<b>Impact Mica LL3</b>	Mica, Lauroyl Lysine	20.60
3	A	<b>Biluna 2600 UVS</b>	Bismuth Oxychloride, Magnesium Stearate, PEG-10 Dimethicone	4.80
4	A	Micropoly 250S	Polyethylene	3.00
5	A	Zinc Stearate	Zinc Stearate	2.00
6	B	<b>Sachet Silk Double Espresso</b>	Synthetic Fluorophlogopite, Iron Oxides	40.00
7	C	<b>NOO Crystal</b>	Octyldodecyl Oleate, Tocopheryl Acetate	3.00
8	C	Wickenol 171	Ethylhexyl hydroxystearate	3.00
9	C	Jeecide Phenoxy	Phenoxyethanol	1.00
10	C	<b>Vitamin E</b>	Tocopheryl Acetate	0.50
11	C	Beeswax	Beeswax	0.10
12	C	Propyl Paraben	Propyl Paraben	0.10
13	C	Methyl Paraben	Methyl Paraben	0.30
<b>Total</b>				<b>100%</b>
<b>Procedure</b>	Premix Phase A in osterizer blender and mix thoroughly until well blended. Add phase B to A and gently mix for 1 minute. Preweigh phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform. Add phase C to A and B and blend for one minute. Scrape down sides and repeat blending process. Press into desired eyeshadow pans at 900 psi for 5 seconds.			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.