

Pressed Highlighter Duo

Lab # NB#222-13 NB#222-10
A B

Phase	RM (Trade Name)	INCI Name	Supplier Name	Percent Wgt	Percent Wgt
A	SanTalc H108	Talc		17.48	0
A	Organic Tapioca Starch	Organic Tapioca Starch	Sandream	0	17.48
A	SanMica AV	Mica, Aloe Barbadosensis Leaf Extract	Sandream	14.46	14.46
A	Biluna 2600 UVS	Bismuth Oxychloride, Magnesium Stearate, PEG-10 Dimethicone	Sandream	4.8	4.8
A	Micropoly 25OS	Polyethylene	Micro Powders Inc.	3.6	3.6
A	Magnesium Stearate	Magnesium Stearate	Spectrum	3.6	3.6
A	Aerosil R972	Fumed Silica	Aerosil	0.06	0.06
B	Sachet Fine Champagne	Synthetic Fluorophlogopite, Titanium Dioxide, Tin Oxide	Sandream	44	44
C	Vitamin E	Tocopheryl Acetate	Sandream	0.75	0.75
C	NOO Crystal	Octyldodecyl Oleate, Tocopheryl Acetate	Sandream	4.5	4.5
C	Beeswax SP-421P	Beeswax	Strahl & Pitsch	0.15	0.15
C	Tegosoft OP	Ethylhexyl Palmitate	Evonik	4.5	4.5
C	Jecide Phenoxy	Phenoxyethanol	Jeen	1.5	1.5
C	Propyl Paraben	Propyl Paraben	Sandream	0.15	0.15
C	Methyl Paraben	Methyl Paraben	Sandream	0.45	0.45
				100	100

Procedure

- 1 Premix Phase A in osterizer blender and mix thoroughly until well blended.
- 2 Add phase B to A and gently mix for 1 minute.
- 3 Preweigh phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform.
- 4 Add phase C to A and B and blend for one minute.
- 5 Scrape down sides and repeat blending process.
- 6 Press at 1050 psi for 5 seconds.

Sandream Specialties
373 Route 46 West, Building E
Fairfield, NJ 07004 USA

