

Glazed Skin Serum

PHASE	TRADE NAME	INCI NAME	SUPPLIER NAME	w/w%
A	DI Water	Water (Aqua)	House	q.s.
B	Bentone Hydroclay 550	Magnesium Aluminum Silicate	Elementis	0.20
B	Glycerin	Glycerin	House	4.00
B	Vanzan NF	Xanthan Gum	Vanderbilt Minerals	1.50
C	AccessTHIX M68	Cetearyl Glucoside (and) Cetearyl Alcohol	Access Ingredients	1.00
C	SS Phytosterol Blend	Octyldodecyl Oleate (and) Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate	Sandream Specialties	2.00
D	AccessSil DM 2	Dimethicone	Access Ingredients	1.00
E	Niacinamide	Niacinamide	Sandream Specialties	2.00
F	Bio-Placenta N	Water (and) Lecithin (and) Acetyl Glutamine (and) sh-Oligopeptide-1 (and) sh-Oligopeptide-2 (and) sh-Polypeptide-1 (and) sh-Polypeptide-9 (and) sh-Polypeptide-11 (and) Bacillus/Soybean Ferment Extract (and) Sodium Hyaluronate (and) Caprylyl Glycol (and) Butylene Glycol	Access Ingredients	2.00
F	PhytoEx Peach	Water (and) 1,2-Hexanediol (and) Prunus Persica (Peach) Fruit Extract	Access Ingredients	1.00
F	AccessCare Poria Cocos Sol	Poria Cocos Extract	Access Ingredients	1.00
F	Euxyl PE 9010	Phenoxyethanol (and) Ethylhexylglycerin	Ashland	1

Peach Glow (224-1A)

G	Chronatique Starlight Golden Brown	Mica (and) Titanium Dioxide (and) Iron Oxides	Sandream Specialties	0.25
G	Sachet TC Swift Peach	Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	Sandream Specialties	0.20

Bronze Goddess (224-1B)

G	Chronatique Starlight Golden Brown	Mica (and) Titanium Dioxide (and) Iron Oxides	Sandream Specialties	0.10
G	Sachet Bronze	Synthetic Fluorophlogopite (and) Iron Oxides	Sandream Specialties	0.20
G	Sachet Silk Double Espresso	Synthetic Fluorophlogopite (and) Iron Oxides	Sandream Specialties	0.05

Procedure:

1. Add Phase A one by one into the main vessel.

2. Premix Phase B and slowly add to the main vessel with high sheer mixing, check for fisheyes and graininess, and begin heating 70-75C.
3. Premix Phase C in a separate vessel and heat to 70-75C.
4. Once both vessels are at 70-75C, slowly add Phase C into main vessel with high sheer mixing, making sure the batch is uniform and homogenous.
5. Remove batch from heat and begin cooling, at 65-70C and add Phase D to main vessel, mix until uniform and homogenous.
6. Cool batch to < 45C.
7. Add Phase E to the main vessel and mix until uniform - check for graininess.
8. Premix Phase F and G in a separate vessel, making sure the pigments are fully dispersed, and add to the main vessel with side sweeping, mix until uniform and homogenous.

Claims are suggested for informational purposes and not validated by the Company. Customers bear the ultimate responsibility for validating claims and ensuring they are compliant with laws and regulations applicable to the customer's finished product.